

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of )  
 )  
Alessandro CARROZZI ) Group Art Unit: Unassigned  
 )  
Application No.: Unassigned ) Examiner: Unassigned  
 )  
Filed: January 14, 2002 )  
 )  
For: MACHINE FOR DIAGNOSTIC )  
AND/OR THERAPEUTIC )  
TREATMENT, PARTICULARLY A )  
NUCLEAR MAGNETIC )  
RESONANCE IMAGING MACHINE )

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Prior to examination of the above-captioned patent application, please enter the following amendment.

**IN THE ABSTRACT:**

See the attached Abstract submitted herewith.

**IN THE CLAIMS:**

Please add new claims 39-49 as follows:

--39. A Nuclear Magnetic Resonance Imaging machine comprising at least two plane surfaces delimiting a cavity for receiving a part of a patient, a magnet having at least one rigid shielding member movable to a position at least partially closing an open side of the cavity, the shielding member comprising electrically conductive material.

40. A machine as claimed in claim 39, wherein the shielding member is hinged about an axis so as to be movable thereabout, there being provided on at least one side of the shielding member electric contacts interacting with other stationary electric contacts.

41. A machine as claimed in claim 39, wherein the magnet has a C-shaped structure including a closed side, and the shielding member being arranged to close at least partly a side of the magnet structure which is substantially opposite to the closed side while leaving remaining sides of the magnet structure at least partly open.

42. A machine as claimed in claim 39, wherein the magnet has two opposite poles defining a cavity therebetween, the poles connected to each other only in several small areas and more than one rigid shielding member being provided, the shielding members being cooperable for covering the whole perimeter of the cavity between the poles.

43. A machine as claimed in claim 42, wherein the shielding members are rigid and in non-electrical and non-mechanical contact with each other, and flexible shields are provided in an area between the shielding members, the shields being electrically conductive and connected both mechanically and electrically to the rigid shielding members.

44. A machine as claimed in claim 39, wherein areas that the shielding member leaves at least partially open are closed by additional shields which are removably fastened and electrically connected to the shielding member.

45. A machine as claimed in claim 39, wherein the magnet is C-shaped and comprises upper and lower horizontal poles interconnected by a vertical branch, sides associated with the poles and the branch defining a cavity, and the rigid shielding member having a U-shaped frame, with free ends of U- branches thereof being fastened to the opposite ends of a hinging axis arranged transverse to the vertical branch of the magnet.

46. A machine as claimed in claim 45, wherein the U-shaped frame has, in a part thereof disposed substantially diametrically opposite to the hinging axis, an extension arranged to close the open side of the magnet, opposite to said vertical branch, the extension abutting on a side of the cavity of the magnet associated with the lower pole, there being provided an electric connection between the shield and said lower side.

47. A machine as claimed in claim 46, wherein the extension of the U-shaped member extends partly on the two opposite sides parallel to the branches of the frame.

48. A machine as claimed in claim 45, wherein the hinging axis is disposed at the same level as one of the two opposite sides of the magnet associated with one of the poles.

49. A machine as claimed in claim 39, wherein the magnet further comprises an electrically conductive case, and means for electrically connecting the electrically conductive case with the rigid shielding member being provided along the U-shaped oscillating frame.--

204760 15 FEB 00

**REMARKS**

Please enter the new claims 39-49 prior to examination of the application.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: William C Rowland  
William C. Rowland  
Registration No. 30,888

P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

Date: January 14, 2002

204770"TSF4007

**Marked-up Copy of Abstract**

**ABSTRACT OF THE DISCLOSURE**

[The invention relates to a] A machine for diagnostic and/or therapeutic treatment, particularly a Nuclear Magnetic Resonance Imaging machine, [comprising,] includes, in combination therewith, a table (2) for supporting the patient, with at least one peripheral recess (302) in the surface of the table (2) or of a part thereof (102) which recess is complemented by a side (201) of the operating surface forming part of the structure of the machine, particularly of the delimitation walls of the cavity or chamber for accommodating the patient.

00470 "TSE400T

**Clean Copy of Abstract**

**ABSTRACT OF THE DISCLOSURE**

A machine for diagnostic and/or therapeutic treatment, particularly a Nuclear Magnetic Resonance Imaging machine, includes, in combination therewith, a table (2) for supporting the patient, with at least one peripheral recess (302) in the surface of the table (2) or of a part thereof (102) which recess is complemented by a side (201) of the operating surface forming part of the structure of the machine, particularly of the delimitation walls of the cavity or chamber for accommodating the patient.

204770 "TSE400F